

Appl. No.: 10/712,131
Filed: November 13, 2003
Amendment dated December 16, 2005
Page 2 of 7

Amendments to the Claims:

1-11. (Canceled)

12. (New) A relockable, rectantular-shaped folding box comprising:

a first side panel;

a second side panel opposing said first side panel;

a pair of opposing lateral side panels connecting said first side panel to said second side panel;

a bottom closure comprising two bottom closing flaps and two bottom dust flaps;

a top closure comprising at least one top closing flap and two top dust flaps;

an insertion tab hinged to one of said lateral side panels and adapted for being fixedly attached to a perforated zone formed in said first side panel; and

optionally, a two-layer hanger comprising a first hanging tab comprising an aperture and a second hanging tab comprising an aperture, wherein each of said first and second hanging tabs is hinged to a top of either said first side panel or said second side panel and operatively positioned for pressing together such that the apertures of the hanging tabs substantially coincide to form the two-layer hanger.

13. (New) The relockable, rectangular-shaped folding box of claim 12, wherein the dimensions of said insertion tab are greater than the dimensions of said perforated zone.

14. (New) The relockable, rectangular-shaped folding box of claim 12, wherein said top and bottom dust flaps attached to the same lateral side panel as the insertion tab have rounded edges.

15. (New) The relockable, rectantular-shaped folding box of claim 12, wherein said top closure comprises one top closing flap and said optional, two-layer hanger is present.

RTAB1/210517HV1

Appl. No.: 10/712,131
Filed: November 13, 2003
Amendment dated December 16, 2005
Page 3 of 7

16. (New) The relockable, rectangular-shaped folding box of claim 15, wherein said first hanging tab is hinged to one of said first and second side panels, and said second hanging tab is hinged to said first hanging tab.

17. (New) The relockable, rectangular-shaped folding box of claim 16, wherein said first hanging tab is hinged to one of said first and second side panels via a cover flap.

18. (New) The relockable, rectangular-shaped folding box of claim 17, wherein said cover flap has a width of 55 to 60% of the width of the top closing flap.

19. (New) A punched blank for producing a relockable, rectangular-shaped folding box according to claim 16.

20. (New) A relockable, rectangular-shaped folding box of claim 12, wherein said optional, two-layer hanger is present, and wherein said first hanging tab is hinged to the top of said first side panel and said second hanging tab is hinged to said top closing flap, and wherein said top closing flap is hinged to said second side panel.

21. (New) A punched blank for producing a relockable, rectangular-shaped folding box according to claim 20.

22. (New) A relockable, rectangular-shaped folding box comprising:
a first side panel;
a second side panel opposing said first side panel;
a pair of opposing lateral side panels connecting said first side panel to said second side panel;
a bottom closure comprising two bottom closing flaps and two dust flaps;
a top closure comprising a top closing flap and two dust flaps;

Appl. No.: 10/712,131
Filed: November 13, 2003
Amendment dated December 16, 2005
Page 4 of 7

a two-layer hanger comprising a first hanging tab comprising an aperture and a second hanging tab comprising an aperture, wherein said first hanging tab is hinged to a top of one of said first and second side panels, and said second hanging tab is hinged to said first hanging tab, said hanging tabs operatively positioned for pressing together such that the aperture of each hanging tab substantially coincide to form the two-layer hanger; and

an insertion tab hinged to one of said lateral side panels and adapted for being fixedly attached to a perforated zone formed in one of said first and second side panels.

23. (New) The relockable, rectangular-shaped folding box of claim 22, wherein said first hanging tab is hinged to one of said first and second side panels via a cover flap adapted for overlaying, and being fixedly attached to, said top closing flap.

24. (New) The relockable, rectangular-shaped folding box of claim 23, wherein said cover flap has a width of 55 to 60% of the width of the top closing flap.

25. (New) The relockable, rectangular-shaped folding box of claim 22, wherein the dimensions of said insertion tab are greater than the dimensions of said perforated zone.

26. (New) The relockable, rectangular-shaped folding box of claim 22, wherein said top and bottom dust flaps attached to the same lateral side panel as the insertion tab have rounded edges.

27. (New) A punched blank for producing a relockable, rectangular-shaped folding box according to claim 22.

28. (New) The punched blank of claim 27, wherein said punched blank comprises:
in laterally hinged relationship, a first side panel having a perforated zone, a second side panel, and two lateral side panels;

Appl. No.: 10/712,131
Filed: November 13, 2003
Amendment dated December 16, 2005
Page 5 of 7

a bottom closing flap pivotally joined to the bottom of each of said first and second side panels, and a bottom dust flap pivotally joined to the bottom of each of said lateral side panels;

a top closing flap pivotally joined to the top of said first side panel, and a dust flap pivotally joined to the top of each of said lateral side panels;

a first hanging tab comprising an aperture pivotally joined to the top of said second side panel, and a second hanging tab comprising an aperture pivotally joined to said first hanging tab; and

an insertion tab laterally hinged to one of said lateral side panels and operatively positioned for contacting said perforated zone.

29. (New) The punched blank of claim 28, wherein said first hanging tab is pivotally joined to said second side panels via a cover flap.

30. (New) The punched blank of claim 29, wherein said cover flap has a width of 55 to 60% of the width of the top closing flap.

31. (New) The punched blank of claim 28, wherein the dimensions of said insertion tab are greater than the dimensions of said perforated zone.